

Date of issue: 2.09.21 NZ Safety Data Sheet

# 1. Identification of the Substance/Mixture and Supplier.

Product Name: GARDEN FURNITURE OIL

Uses: Wood oil

Supplier: SUPREME PAINTS LTD

19 Ford Road Onekawa Napier New Zealand.

Telephone: 06 650 5879

Emergency Telephone: 021 389 669 (24 hrs)

#### 2. Hazards Identification.

Hazardous Status: Classified as Hazardous according to the criteria of HSNO.

DG Status: Classified as Dangerous Goods according to NZS5433

| HAZARD CLASSIFICATIONS                | HAZARD STATEMENTS                                  | GHS<br>Pictogram |
|---------------------------------------|--|------------------|
| Flammable liquids, Cat 3              | H226 Flammable liquid and vapour.                  | <b>®</b>         |
| Aspiration hazard, Cat 1              | H304 May be fatal if swallowed and enters airways. | €                |
| Serious eye damage/irritation, Cat 2A | H319 Causes serious eye irritation.                | <b>(</b>         |

| Signal Word: | DANGER |
|--------------|--------|

## PREVENTION STATEMENTS

| P102 | Keep out of reach of children.   |  |
|------|--|--|
| P103 | Read label before use.   |  |
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking.           |  |
| P233 | Keep container tightly closed.   |  |
| P240 | Ground/bond container and receiving equipment.                             |  |
| P241 | Use explosion-proof electrical/ventilating/lighting equipment.             |  |
| P242 | Use only non-sparking tools.   |  |
| P243 | Take precautionary measures against static discharge.                      |  |
| P264 | Wash thoroughly after handling.  |  |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |  |

#### RESPONSE STATEMENTS

|             | THE OF OTTOE OF THE INTERNATION   |  |  |
|-------------|---|--|--|
| P370 + P378 | In case of fire: Use foam, carbon dioxide or dry chemical powder for extinction.        |  |  |
| P101        | If medical advice is needed, have product container or label at hand.                   |  |  |
| P303 + P361 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin |  |  |
| + P353      | with water/shower.  |  |  |
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.                     |  |  |
| P331        | Do NOT induce vomiting.   |  |  |
| P305 + P351 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if  |  |  |
| + P338      | present and easy to do. Continue rinsing.   |  |  |
| P337 + P313 | If eye irritation persists: Get medical advice/attention.                               |  |  |
| •           |   |  |  |



Date of issue: 2.09.21 NZ Safety Data Sheet

| Date of issue: 2.09.21 NZ Safety Data Sheet   |  |  |   |  |
|---|--|--|---|--|
| STORAGE STATEMENTS  |  |  |   |  |
| P403 + P235 Stor  |  |  |   |  |
|   | e locked up.   |  |   |  |
| •   | ·  |  |   |  |
| DISPOSAL STATEM   | ENTS   |  |   |  |
|   |  | duct enter the environment   | . Do not dispose of in waterways or sewers.         |  |
|   |  |  | hazardous waste, via a licensed facility. See       |  |
|   |  | sposal/recycling information   |   |  |
|   |  |  |   |  |
| 3. Composition  | n/Information  | on Ingredients.  |   |  |
|   |  | 3  |   |  |
| Chemical Entity   |  | CAS Number   | Proportion %w/w                                     |  |
| Tung Oil  |  | 8001-20-5  | 30-60   |  |
| Naphtha, petroleum,   | hydrotreated   | 64742-48-9   | 30-60   |  |
| heavy   | , a. o oatoa   |  |   |  |
| Drier blends  |  | Mixture  | <1  |  |
|   | s: Non-hazard  | ous, or below the hazardo  |   |  |
| Balarice of Ingredient  | 0. 11011 Hazara  | oue, or bolow the hazarde  | do un concia.                                       |  |
| 4. First Aid Me   | asures   |  |   |  |
| T. THOUAIGH   | u3u103.  |  |   |  |
| Swallowed   | If swalle  | wed do NOT induce vomi   | ting. Give water to drink. Get medical attention if |  |
| - Chanonou  |  | ms occur.  | ang. Give water to diffin. Got modical attention in |  |
| Inhaled   |  |  | n air immediately. Begin artificial respiration if  |  |
|   |  |  | edical attention if symptoms occur.                 |  |
| Eye Contact   |  |  | veral minutes. Remove contact lenses, if            |  |
| _,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,   |  |  | rinsing. If eye irritation persists: Get medical    |  |
|   |  | attention.   | milenigi ii eye iimalien pereleter eer mealear      |  |
| Skin Contact  |  |  | ove contaminated clothing and flush skin and        |  |
|   |  |  |   |  |
| Further Information   |  | hair with running water. Get medical attention if symptoms occur.  For advice contact the National Poisons Centre – 0800 POISON (0800 764 766) |   |  |
|   | - or a doctor, immediately.  |  |   |  |
| 5. Fire-Fighting  | <u> </u>   |  |   |  |
| o. The Tighting   | , incusures.   |  |   |  |
| Suitable extinguishi  | na In case   | of fire, use water spray (fo   | g), foam, dry chemical or CO2.                      |  |
| media   | ing in oaso  | or me, ase water spray (re   | g), rount, dry orientical of GGZ.                   |  |
| Unsuitable  | High vo  | lume water jet.  |   |  |
| extinguishing media   |  | iamo water jet.  |   |  |
| Hazards from the  |  | or if heated, a pressure in  | crease will occur and the container may burst.      |  |
| substance   | 111 4 111 6  | or in ribation, a procedure in   | orodoo wiii oodar arid tiro ooritairior may baroti  |  |
| Hazardous combust   | mbustion Decomposition products may include:   |  |   |  |
| products  |  | Carbon oxides, Nitrogen oxides, Other noxious substances.  |   |  |
| Special precautions   |  | Promptly isolate the scene by removing all persons from the vicinity of the  |   |  |
| fire-fighters   |  |  | shall be taken involving any personal risk or       |  |
|   |  | suitable training.   | 3 , , 5   |  |
| Special protective  |  | Fire-fighters should wear appropriate protective equipment and self-contained  |   |  |
| equipment for fire  |  | breathing apparatus (SCBA) with a full face-piece operated in positive pressure  |   |  |
| fighters  | mode.  |  |   |  |
|   |  |  |   |  |
| 6. Accidental Release Measures.   |  |  |   |  |
| Percenal prescritions   Wear appropriate Percenal Protective Facilities and (see a setting 0) Percent |  |  |   |  |
| Personal precaution   |  | Wear appropriate Personal Protective Equipment (see section 8). Provide  |   |  |
| Environmental   |  | adequate ventilation.  Avoid dispersal of spilt material and runoff and contact with soil, waterways,  |   |  |
| precautions   |  |  |   |  |
| precautions   | drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |  |   |  |
|   | enviion  | mental politition (sewers, t   | valei ways, suii ui aii j.                          |  |



| Date of issue: 2.09.21                       | NZ Safety L  |   |  |
|--|--|---|--|
| Small spill                                  | Stop leak if without risk. Move containers from spill area. Absorb with an inert dry material and place in an appropriate waste disposal container. If rags are used for clean-up, they must be soaked in water afterwards (self-combustion hazard). Eliminate all ignition sources. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.   |   |  |
| Large spill                                  | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Eliminate all ignition sources. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. |   |  |
| 7. Handling and Sto                          | orage.   |   |  |
| Handling                                     | Wear appropriate PPE, and ensure there is adequate ventilation and extraction in the work area. Avoid skin or eye contact, or breathing in the product. Follow precautions listed in section 2 for handling flammable/combustible liquids.   |   |  |
| Storage                                      |  | tightly closed, in a cool, well-ventilated area, away from ay from heat, sparks and open flame. |  |
| 8. Exposure Contro                           | ol/Personal Protection   |   |  |
| Exposure Standards – n                       | o NZ WES data  |   |  |
| Engineering Controls                         | General ventilation and local exhaust should be suitable to keep vapour concentrations minimised. Ventilation equipment should be explosion-proof when operating in flammable zones.   |   |  |
| Personal Protection                          | Service:   |   |  |
| Respiratory                                  | Wear a vapour respirato  | r.  |  |
| Eyes   | Wear chemical goggles.   |   |  |
| Hands  | Wear chemical gloves -   | PVC, Polychlorpropene or Nitrile.   |  |
| Other  | Wear overalls or dust co   | at. Use PVC apron when handling large quantities.   |  |
| 9. Physical and Chemical Properties          |  |   |  |
| PROPERTY                                     |  | SPECIFICATION   |  |
| Physical state                               |  | Liquid  |  |
| Colour                                       |  | Red/brown   |  |
| Odour  |  | Hydrocarbon odour   |  |
| Odour threshold                              |  | No data   |  |
| pH   |  | No data   |  |
| Melting Pt/Freezing Pt                       |  | No data   |  |
| Initial Boiling Pt and Boiling Range         |  | 179-188°C (Naphtha, Petroleum)  |  |
| Flash Pt                                     |  | 54°C (Naphtha, Petroleum)   |  |
| Upper/Lower Flammability or Explosive limits |  | No data   |  |
| Vapour Pressure                              |  | 0.07 kPa @ 20°C (Naphtha, Petroleum)  |  |
| Vapour Density                               |  | No data   |  |
| Relative Density                             |  | ~0.83   |  |
| Water Solubility                             |  | Not soluble   |  |



Date of issue: 2.09.21 NZ Safety Data Sheet

| Partition Coefficient: n-octanol/water | No data |
|--|---------|
| Auto Ignition temperature              | No data |
| Decomposition temperature              | No data |
| Viscosity                              | No data |

## 10. Stability and Reactivity

| Stability              | The product is stable   |  |
|------------------------|---|--|
| Possibility of         | Under normal conditions of storage and use, hazardous reactions will not occur. |  |
| hazardous reactions    | Rags soaked with the product may present an auto-ignition hazard.               |  |
| Conditions to avoid    | Heat, flames  |  |
| Incompatible materials | Strong oxidisers, inorganic acids   |  |
| Hazardous              | Under normal conditions of storage and use, hazardous decomposition products    |  |
| decomposition          | should not be produced.   |  |
| products               |   |  |

## 11. Toxicological Information

Data sourced from CCID and/or raw material SDSs. Mixture rules applied

| Acute Oral Toxicity       | Not Classified                                |
|---------------------------|---|
| Acute Dermal Toxicity     | Not Classified                                |
| Acute Inhalation Toxicity | Not Classified                                |
| Acute Aspiration Toxicity | May be fatal if swallowed and enters airways. |
| Skin Irritancy/Corrosion  | Not Classified                                |
| Eye Irritancy/Corrosion   | Causes serious eye irritation                 |
| Respiratory Sensitisation | Not Classified                                |
| Skin Sensitisation        | Not Classified                                |
| Mutagenic                 | Not Classified                                |
| Carcinogenic              | Not Classified                                |
| Reproductive/Development  | Not Classified                                |
| Toxicity                  |   |
| STOT-SE                   | Not Classified                                |
| STOT-RE                   | Not Classified                                |

**Toxicity Data** 

# **Product Acute Toxicity Estimate**

ORAL LD50

>2000 mg/kg

DERMAL LD50

>2000 mg/kg

INHALATION LC50 (vapours)

>20 mg/L/4H

## 12. Ecological Information

This product is not classified as Ecotoxic according to the criteria of HSNO.

Data sourced from CCID and/or raw material SDSs

## Toxicity

Product Calculated Aquatic Ecotoxicity - L(E)C50: >100 mg/L

# Persistence & Degradability

No data



Date of issue: 2.09.21 NZ Safety Data Sheet

| _ =  |                                 |  |
|--|---------------------------------|--|
| Mobility                                       |                                 |  |
| No data  |                                 |  |
|  |                                 |  |
| Bioaccumulative Potential                      |                                 |  |
| No data  |                                 |  |
|  |                                 |  |
| Ecotoxic Ingredients:                          |                                 |  |
| Ingredient                                     | Classification                  |  |
| Drier blends (insufficient quantity to trigger | Toxic with long lasting effects |  |
| ecotoxicity in the product):                   |                                 |  |
|  | ·                               |  |

# 13. Disposal Considerations.

Do not let this product enter the environment. Do not dispose of in waterways or sewers. Dispose of this material and its container as hazardous waste, via a licensed facility. See local council for disposal/recycling information.

## 14. Transportation Information.

Regulated for transport Keep separated from foodstuffs

UN Number: 1263
Proper Shipping Name: PAINT
Class: 3
Packing Group: III
Hazchem: 3Y
Marine Pollutant: No



# 15. Regulatory Information.

| Group Standard:                       | HSR002662                                |  |
|---------------------------------------|--|--|
|                                       | Surface Coatings & Colorants - Flammable |  |
| HSNO CONTROLS                         |  |  |
| SDS required when any quantity is p   | resent in a workp                        | lace.  |
| At least 2 x 4.5kg powder fire exting | uishers required w                       | hen >500L is present in a workplace.                 |
| Emergency Response Plan and Sec       | condary Containm                         | ent required when >10,000L is present in a workplace |
| Flammable signage required when       | >1000L is stored.                        |  |
| (Flammable Liquid, Cat 3) Hazardou    | us Substances                            | >500L (closed containers >5L)                        |
| Location Compliance Certificate req   | uired for:                               | >1500L (closed containers up to 5L)                  |
|                                       |  | >250L (open containers)                              |
| (Flammable Liquid, Cat 3) Hazardou    | ıs Atmosphere                            | >100L (closed containers)                            |
| Zone required for:                    |  | >25L (decanting)                                     |
|                                       |  | >5L (open occasionally                               |
|                                       |  | >1L (open containers in continuous use)              |
| Certified Handler                     |  | Not Required   |
| Tracking                              |  | Not Required   |
|                                       | •  |  |



Date of issue: 2.09.21 NZ Safety Data Sheet

This material is not subject to the following agreements:

- Montreal Protocol (Ozone Depleting Substances)
- The Stockholm Convention (Persistent Organic Pollutants)
- The Rotterdam Convention (Prior Informed Consent)

#### All ingredients are on the New Zealand Inventory of Chemicals (NZIoC), or exempt.

Any existing national regulations on the handling of dangerous substances should be observed. Controls for hazardous substances are based upon current knowledge. Where multiple chemicals are stored, controls will need to take into account aggregate quantities. Contact a WorkSafe approved Compliance Certifier for further information and guidance.

#### 16. Other Information.

HSNO = Hazardous Substances and New Organisms Act 1996.

EPA = Environmental Protection Authority

CCID = Chemical Classification and Information Database (EPA)

NZ WES = New Zealand Work Exposure Standard

Date of SDS Preparation: 2 September 2021 Replaces Version Dated: 20 October 2016

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.